


The Blue-C.

Martin Näf
Computer Graphics Group
ETH Zürich


State of the Art

- The Cave (Univ. of Illinois)



State of the Art

- Teleport/Virtual Meeting (GMD)



State of the Art

- Office of the Future (UNC)



Limitations




- Integration of 3D projection and real-time video acquisition very limited
- No real time vision systems embedded
- No (truly) hybrid rendering methods
- Current user interfaces are still in children's booths

Goals



- Build a highly immersive VR environment for collaborative work
- Allow users to freely navigate, meet and collaborate in virtual worlds
- Real time acquisition and 3-D composition of live video streams of real actors in virtual environments
- Polyproject : CGG, CVG, PCCV, CAAD and ZPE

Blue-C.



Blue-C.

Application Building Interface

A General Purpose
Collaborative Immersive Virtual Reality
Software Interface

Table of Contents


- Collaborative systems
 - Introduction
 - Data types
 - Decision problems
- Scene-graph
 - Introduction
 - Market overview

Collaborative Systems



- Multiple sites
- Distributed static and dynamic data
- Distributed modifications on data
- Distributed decisions
- Extensive research for battlefield simulations (SIMNET)

Data Types: Static



- Terrain, buildings, installations, vehicles operating on predefined paths
- Global data storage required
- Data distribution
 - Network file system (NFS, AFS, etc.)
 - "Web-interfaces" (HTTP, FTP)
 - Proprietary solutions
- Solutions are available
 - CAVERN: HTTP, remote file I/O

Data Types: Dynamic



- Controlled vehicles, actors, particles
- Object data
 - Position and rotation
 - Velocity vector
 - Additional state
- Update events
 - Delivery and consistency guarantees
 - Latency
- Solutions
 - HLA/DIS protocols

Data Types: Streams



- Audio and video data
- Geometry (MPEG 4)
- Strict real-time conditions
- Constant bandwidth and latency
- Compression
- Adaptive algorithms – react to change in conditions

Distributed Modifications

- Consistency problem
- Smooth updates (i.e. vehicle positions)
- Transaction system
- Exclusive locking vs. continuous updates



Distributed Decisions

- Problem: Hit-test on outdated data
- Coherent decisions

- Solutions:
 - Client-Server concept
 - Strict locking
 - No guarantees
 - Anticipation



Conclusions




- Distributed database in real-time environment
- No single solution for updates or decisions
- Different solutions available

Scene-Graph Introduction




- Main data structure for rendering
 - Geometry
 - Object attributes (material, textures)
 - Environment (Lights, horizon)
- Hierarchical structure

Scene-Graph Structure



Scene-Graph Operations

- Traversal
 - Culling
 - Level of detail selection
 - Rendering
 - Hit-test
- Object modifications
 - Geometry
 - Attributes
 - Meta-data



Why not write your own?



- Optimizations
 - Avoid duplicate traversal of nodes
 - Avoid OpenGL-state changes
 - Texture optimizations
 - Reduce downloads, clip-mapping, paging
 - Automatic level of detail selection
 - Optimize culling (bounding boxes etc.)
- Multi-CPU / multi-pipe support
- File loaders, format converter tools

Requirements

- Large models
- Real-time support
- Multi-pipe, stereo rendering
- Multi-CPU support
- File format compatibility
 - Geometry (VRML, IV, Alias, ProEngineer)
 - Texture (TIFF, GIF, JPG)



Iris Inventor

- Developed by Silicon Graphics
- Pro
 - Easy to use
 - Extensible, object-oriented design
 - "Active objects" allow interactive applications (⇒ VRML)
- Con
 - Efficiency
 - No multi-pipe support
 - No multi-CPU support




Performer



- Successor to Inventor
- *THE* standard for VR-applications
- Pro
 - Fast, with real-time capabilities
 - Multi-pipe, multi-CPU support
 - Clean, extensible design
- Con
 - Specialized for VIS/SIM applications
 - Multiprocessing limited to rendering
 - No freeform-surface support

Performer - Processes



Cosmo3D / Optimizer




- Cross-Platform API developed by SGI
- Base for Java3D
- Pro
 - VRML support
 - Layered approach: Modules for CAD, Vis/Sim
 - Support for large models (enhanced culling)
- Con
 - No real-time features
 - Future support and development?

Open GVS



- Owned by Quantum3D
- Pro
 - Multi-platform support
 - Fast
- Con
 - Limited multi-CPU support
 - Not really "open"

Open RM



- Developed by R3vis
- Pro
 - Open source
 - Volume rendering support
- Con
 - No multi-CPU, multi-pipe support
 - Very limited file format support
 - Limited support

Open Scene Graph




- Open source (ZGDV Darmstadt)
- Pro
 - Open source, cross platform
 - Multi-CPU, multi-pipe support
 - Clean design from scratch
 - Support for free-form surfaces
- Con
 - No real-time features
 - Not yet available

DirectX




- Microsoft Multimedia API
 - Direct3D retained mode
- Pro
 - Supports animation
 - Optimized for inexpensive hardware
- Con
 - "Better display-list"
 - No multi-pipe support
 - Single platform (Win32)

Java 3D



- Scene-graph for Java
- Pro
 - Portable
 - Clean, modern interface
 - Good performance for static scenes
- Con
 - Java-only
 - No multi-pipe support
 - Real-time constraints vs. garbage collection



Dead APIs



- Open Inventor
- OpenGL++
- Fahrenheit

- Many more

Conclusions



- No one-fits-all solution
- Performer is still the first choice for VR
- Open Scene Graph?

Discussion

